

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050260990"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:48
L2	2	"20020187801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 19:49
L3	1074	(portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4)) with ((threshold predetermin\$4 value exceed\$4 greater less period\$4 tim\$4 preselected) near5 "db")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:12
L4	23016034	@ad<="20020808" or @rlad<="20020808" or @ptad<="20020808" or @pt1d<="20020808" or @pt3d<="20020808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:10
L5	872	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:10
L6	2095185	(portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:12
L7	11186	(threshold predetermin\$4 value exceed\$4 greater less period\$4 tim\$4 preselected) near5 "db" near10 ((signal near3 ratio) or SNR (bit near3 rate) or (signal near3 interference) or (carrier near3 interference) or (I adj C) RSSI quality power signal ((frame bit) near3 error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:21
L8	92315	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:13

L9	68581	4 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:13
L10	1737	7 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:14
L11	5657	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:14
L12	1423	9 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:14
L13	435	6 with 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:15
L14	234	8 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:16
L15	41971	(handoff handover hand?off hand?over (hand\$3 adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:16
L16	439	13 with15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:16
L17	10	13 with 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:16

L18	109	((threshold predetermin\$4 value exceed\$4 greater less period\$4 preselected) with (different\$5 near5 "db")) near10 ((signal near3 ratio) or SNR (bit near3 rate) or (signal near3 interference) or (carrier near3 interference) or (I adj C) RSSI quality power signal ((frame bit) near3 error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:22
L19	9	15 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:22
S1	23016034	@ad<="20020808" or @rlad<="20020808" or @ptad<="20020808" or @pt1d<="20020808" or @pt3d<="20020808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:10
S2	43972	(threshold predetermin\$4 determin\$4 value exceed\$4 greater less limit\$3 bas\$4 depend\$4 accord\$4 period\$4 tim\$4 preselected) with (portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4)) with (frequenc\$4 (inter near2 frequency) "inter-frequency")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:07
S3	12366	(threshold predetermin\$4 value exceed\$4 greater less preselected) with (portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4)) with (frequenc\$4 (inter near2 frequency) "inter-frequency")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:06
S4	8601	(portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4)) with ((frequenc\$4 (inter near2 frequency) "inter-frequency") near7 (threshold predetermin\$4 value exceed\$4 greater less preselected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:11
S5	7245	S1 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:07

S6	92315	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:13
S7	1919	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:10
S8	52	(portable mobile cellular handheld hand?held ((user wireless communicat\$4) near3 (terminal device)) \$phone mobile pda (digital near3 person\$4)) with ((frequenc\$4 (inter near2 frequency) "inter-frequency") near7 (threshold predetermin\$4 value exceed\$4 greater less preselected)) with ((base network radio) near3 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 20:09